


FIG. 2






FIG. 4




FIG. 5

FIG. 1





FIG. 2

FIG. 1



1 1 1 1 1

118




FIG. 9




FIG. 9

FIG. 10




FIG. 10

FIG. 10




FIG. 11

FIG. 12




FIG 12

7

FIG. 14





FIG. 14

FIG. 15






FIG. 10

FIG. 17






FIG. 17

TOP VIEW



1961





20

FIG. 190-503860




FIG. 21

II →

FIG. 22

II →




FIG 22

II →

FIG. 23

II →




FIG. 23

II →

FIG. 150

II →




FIG 24

FIG 25

A hand-drawn perspective sketch of a mechanical assembly. The drawing shows several rectangular components arranged in a row. A label '216' with an arrow points to a long, thin rectangular piece at the bottom. A label '217' with an arrow points to a component in the middle of the row. A label '218' with an arrow points to a component at the top of the row. The drawing is oriented diagonally on the page.

7

FIG. 27




FIG 27

FIG. 28




FIG. 28

FOE F30 2250860




FIG. 30




FIG 30

FIG. 30






FIG 31

FIG. 32

FIG. 32




FIG. 10




FIG. 11

FIG. 34




FIG 34

FIG. 30




FIG. 35



A hand-drawn diagram of a triangle. A line segment is drawn from the top vertex to the right side, labeled '323' with an arrow pointing to it. The right side of the triangle is also labeled '323' at the top. The bottom side of the triangle is labeled '323' at the bottom right. The diagram is drawn on a grid background.

FIG 36

FOR 190-500000

IV
↓

IV
↑
312

364

316
323

FT 637




FIG. 38




FIG 38

FIG. 1




FIG. 2

FIG. 4




FIG. 4

09380539 054304




FIG 41

FIG. 42




FIG 42




FIG 43




FIG 44

FIG. 10




FIG. 11

[illegible]

2/5 9




FIG. 47

FIG. 48






FIG 49

200





FIG 50

1991 1992 1993 1994 1995



$$1 \quad 2 \quad 3 \quad 4 \quad 5 \quad 6 \quad 7 \quad 8 \quad 9 \quad 10 \quad 11 \quad 12 \quad 13 \quad 14 \quad 15 \quad 16 \quad 17 \quad 18 \quad 19 \quad 20 \quad 21 \quad 22 \quad 23 \quad 24 \quad 25 \quad 26 \quad 27 \quad 28 \quad 29 \quad 30 \quad 31 \quad 32 \quad 33 \quad 34 \quad 35 \quad 36 \quad 37 \quad 38 \quad 39 \quad 40 \quad 41 \quad 42 \quad 43 \quad 44 \quad 45 \quad 46 \quad 47 \quad 48 \quad 49 \quad 50 \quad 51 \quad 52 \quad 53 \quad 54 \quad 55 \quad 56 \quad 57 \quad 58 \quad 59 \quad 60 \quad 61 \quad 62 \quad 63 \quad 64 \quad 65 \quad 66 \quad 67 \quad 68 \quad 69 \quad 70 \quad 71 \quad 72 \quad 73 \quad 74 \quad 75 \quad 76 \quad 77 \quad 78 \quad 79 \quad 80 \quad 81 \quad 82 \quad 83 \quad 84 \quad 85 \quad 86 \quad 87 \quad 88 \quad 89 \quad 90 \quad 91 \quad 92 \quad 93 \quad 94 \quad 95 \quad 96 \quad 97 \quad 98 \quad 99 \quad 100$$


FIG. 5




FIG. 53

FIG. 54 is a perspective view of a device 100. The device 100 includes a main body 106, a handle 110, and a control unit 108. The handle 110 is positioned at one end of the main body 106. The control unit 108 is located on the side of the main body 106. The device 100 is shown in a perspective view, highlighting its three-dimensional structure.

FILE 54

55

11-15

FIG. 10




FIG. 10

FIG. 57




FIG. 57

FIG. 58




FIG 58




FIG. 5

5




FIG. 60





FIG. 61

1



20
FHG




FIG. 3




FIG 64




FIG. 1




FIG. 60




FIG 67

— — — — —



20




FIG. 6




FIG. 70

FIG. 14

14.




FIG. 14




FIG 72




Fig. 73





FIG 74

26

This perspective view shows the front of the device. The oval opening is defined by a frame with a top flange (142) and a bottom flange (140). The front panel (150) is mounted on the device body (160) and features a central rectangular opening (152) and a lower rectangular opening (154). The front panel is secured by a top flange (156) and a bottom flange (158). The device body (160) has a top flange (162) and a bottom flange (164). The front panel is shown in a partially open position, revealing the internal components.


FIG 77



710



FIG. 75






FIG. 80





FIG. 82



| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | |
|---|---|---|---|---|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|
| 0 | 0 | 1 | 4 | 9 | 16 | 25 | 36 | 49 | 64 | 81 | 100 | 121 | 144 | 169 | 196 | 225 | 256 | 289 | 324 | 361 | 400 | 441 | 484 | 529 | 576 | 625 | 676 | 729 | 784 | 841 | 900 | 961 | 1024 | 1089 | 1156 | 1225 | 1296 | 1369 | 1444 | 1521 | 1600 | 1681 | 1764 | 1849 | 1936 | 2025 | 2116 | 2209 | 2304 | 2401 | 2500 | 2601 | 2704 | 2809 | 2916 | 3025 | 3136 | 3249 | 3364 | 3481 | 3600 | 3721 | 3844 | 3969 | 4096 | 4225 | 4356 | 4489 | 4624 | 4761 | 4900 | 5041 | 5184 | 5329 | 5476 | 5625 | 5776 | 5929 | 6084 | 6241 | 6400 | 6561 | 6724 | 6889 | 7056 | 7225 | 7396 | 7569 | 7744 | 7921 | 8100 | 8281 | 8464 | 8649 | 8836 | 9025 | 9216 | 9409 | 9604 | 9801 | 10000 |

FIG. 83





FIG. 84






FIG. 85




FIG. 8b




FIG. 87





FIG. 88



810 →

FIG. 88




FIG. 11




FIG 90






FIG. 91








FIG. 93




FIG. 94




FIG. 95




FIG. 9b




FIG. 97




FIG. 98




FIG. 95




FIG. 100

FIG. 100

854




FIG. 101




FIG. 102

FIG. 103





FIG. 103



910

FIG. 104




FIG. 105

FIG. 10b




FIG. 10b




FIG. 107




FIG. 108




FIG. 109




FIG. 110